



Village of Caseyville

909 South Main Street
Caseyville, Illinois 62232

618-344-1234
Fax: 618-394-1234

COMMITTEE MEETING MINUTES

May 4, 2022

Meeting called to order at 7:20 p.m.

COMMITTEE REPORT:

G. W. SCOTT, SR.
Mayor

CINDY MILLER
Village Clerk

WALLY ABERNATHY
Trustee

JOHN BUCKLEY
Trustee

KENT LUEBBERS
Trustee

RON SANFTLEBEN
Trustee

ANTHONY (TONY) ALVAREZ
Trustee

DAN CARY
Trustee

BRIAN RADER
Supt. of Public Works

THOMAS COPPOTELLI
Chief of Police

KEVIN KAUFHOLD
Attorney

TAMARA AMMANN
Treasurer/Comptroller

PHILLIP LITTLE
Zoning Administrator

JEREMY DIEI
Fire Chief

Administrative/Communications/Technology:

- None

Annexation:

- None

Emergency Management:

- Sirens
- Still waiting on parts for 1 Siren – It goes off with sound, but no rotation

Finance/TIF/Grants/Insurance:

- None.

Ordinance:

- None.

Planning/Zoning:

- Place on Agenda a raise of \$25.00 to the Planning Committee and Zoning Board of Appeals members, they currently receive \$25.00 a meeting and would like to make it \$50.00 a meeting.
- Place on Agenda for approval Solicitors Permit for Foxanator Fireworks, LLC located at Hardees for sale of fireworks from June 25, 2022 to July 4, 2022.
- Place on Agenda State Police would like the use of the Community Center for State Police Sergeant Testing Tuesday September 14, 2022, from 8 a.m. to 2 p.m. Free of Charge.
- Place on Agenda change of ownership for the Fairbridge Inn, 8950 Tucker Drive.

Committee Minutes May 4, 2022 (cont.)

Police:

- 6/4 Fishing Derby at Park

Public Works/Building:

- None

Special Events:

- 5/21 Wingfest at the Park
- 6/4 Fishing Derby at the Park
- 6/25 Fire Works at the Park

Cemetery:

- Meeting was held on 4/25/2022 to discuss Maintenance Costs and reapplying for the 501c (which is needed to qualify for Grant monies).

Adjournment:

Motion was made by John Buckley and seconded by Wally Abernathy to adjourn Committee meeting and go into Executive Session.

Voting on Motion: - All Ayes – Motion Passed

Meeting adjourned at 7:28 p.m.